Attomey Docket No.: TVW/APP13US Serial No. 09/255,052

Page 2 of 15

IN THE CLAIMS:

Please consider the claims as follows:

RECEIVED CENTRAL FAX CENTER

OCT 2 6 2006

1-64. (Canceled)

65. (Currently Amended) In a system for interactive distribution of selectable presentations, said system having a presentation preparation server, a broadband signal distribution head-end coupled to said presentation preparation server and to a broadband signal distribution network, and an addressable processing equipment at a user location, a method comprising:

transmitting a presentation request from said addressable processing equipment at said user location to said presentation preparation server, said presentation request including a destination address corresponding to said addressable processing equipment at said user location;

receiving a plurality of selectable presentations at said presentation preparation server;

converting said selectable presentations to MPEG digital video format:

storing said selectable presentations in MPEG digital video format in a presentation database memory;

retrieving one of said selectable presentations corresponding to said presentation request from said presentation database memory to form a selected presentation in MPEG digital video format;

multiplexing said selected presentation in MPEG digital video format <u>with selectable</u> <u>presentations selected by other users</u> into an MPEG digital video transport stream;

489147-1

Attomey Docket No.: TVW/APP13US

Serial No. 09/255,052

transmitting an addressable address message to said addressable processing equipment at said user location to indicate the position of said selected presentation in MPEG digital video format in said MPEG digital video transport stream;

transmitting said MPEG digital video transport stream from said broadband signal distribution head-end;

receiving said addressable address message at said addressable processing equipment at said user location to indicate the position of said selected presentation in MPEG digital video format in said MPEG digital video transport stream; and

receiving said selected presentation at said addressable processing equipment at said user location.

66. (Previously Presented) A method in accordance with claim 65, further comprising:

transmitting a log on request from said addressable processing equipment at said user location to said presentation preparation server;

receiving a user number from said presentation preparation server at said addressable processing equipment; and

using said user number to identify MPEG digital video signals transmitted from said presentation preparation server to said addressable processing equipment at said user location.

67. (Previously Presented) A method in accordance with claim 65, wherein said selected presentation in MPEG digital video format is an MPEG I-frame forming a still image.

PATENT Attorney Docket No.: TVW/APP13US

Serial No. 09/255,052 Page 4 of 15

- 68. (Previously Presented) A method in accordance with claim 65, wherein said selected presentation in MPEG digital video format is an MPEG P-frame forming a data overlay.
- 69. (Previously Presented) A method in accordance with claim 65, wherein said selected presentation in MPEG digital video format is a group of pictures sequence including at least one MPEG I-frame and one or more MPEG P-frames forming a video sequence.
- 70. (Previously Presented) A method in accordance with claim 65, wherein said selected presentation in MPEG digital video format is a combination of MPEG I-frames, MPEG P-frames and MPEG B-frames.
- 71. (Previously Presented) A method in accordance with claim 65, wherein said selected presentation in MPEG digital video format is an MPEG encoded audio sequence.
- 72. (Previously Presented) A method in accordance with claim 65, wherein said step of multiplexing said selected presentation in MPEG digital video format into an MPEG digital video transport stream includes assigning a packet identification (PID), a program association table (PAT), a program map table (PMT), and a program clock reference (PCR) to said selected presentation in MPEG digital video format, wherein one program clock reference (PCR) is used for multiple PIDS.
- 73. (Previously Presented) A method in accordance with claim 65, wherein said presentation request from said addressable processing equipment at said user location to said presentation preparation server is transmitted over a two-way broadband signal distribution network.

Oct-26-2006 04:16pm

Attorney Docket No.: TVW/APP13US Serial No. 09/255,052

- 74. (Previously Presented) A method in accordance with claim 65, wherein said presentation request from said addressable processing equipment at said user location to said presentation preparation server is transmitted over a telephone line.
- 75. (Currently Amended) A system for interactive distribution of selectable presentations, said system comprising:

addressable processing equipment at a user location, said addressable processing equipment transmitting a request for a presentation:

a presentation preparation server, including a receiver coupled to said addressable processing equipment at a user location for receiving said request for a presentation;

a presentation conversion utility at said presentation preparation server for encoding said selectable presentations into MPEG digital video format;

a presentation database memory coupled to said presentation conversion utility for storing said selectable presentations encoded in MPEG digital video format;

an MPEG packet multiplexer coupled to said presentation database memory, wherein said MPEG packet multiplexer multiplexes said requested presentation and other selectable presentations selected by other users in MPEG digital video format into an MPEG digital video transport stream;

a broadband signal distribution head-end coupled to said MPEG packet multiplexer; and

a broadband signal distribution network coupled to said broadband signal distribution head-end and to said addressable processing equipment at said user location, for transmitting said a selected presentation corresponding to said request for a presentation to said addressable processing equipment at said user location.

Attomey Docket No.: TVW/APP13US Serial No. 09/255,052

Page 6 of 15

wherein said addressable processing equipment decodes said selected presentation in MPEG digital video format for display to said user <u>using an address message to indicate a position of said selected presentation in MPEG digital video format in said MPEG digital video stream</u>.

76. (Original) A system in accordance with claim 74, wherein said presentation conversion utility is coupled to the Internet, and said request for a presentation is a designation of a Uniform Resource Locator (URL).